



# ROLLER'S *pressing tongs Mini* ROLLER'S *pressing rings*



German Top Quality



**ROLLER'S Mini pressing tongs**  
with 2 tiltable monoblock pressing jaws.



Patent EP 1 952 948  
Patent EP 2 347 862

**ROLLER'S pressing tongs Mini ACz / Fz / HEz / RFz / RFlz**  
with teeth prevent burr formation on the pressing segments




Patent EP 2 027 971

**ROLLER'S Pressing 45° (PR-2B)** for applying the pressing jaws safely in places of difficult access by using an inclination of 45°.



Patent EP 2 774 725

**Example: ROLLER'S Mini V pressing tongs: Impression "V"**  
on pressed fitting for traceability according to EN 1775:2007



Accessory for ROLLER'S Multi-Press Mini ACC, Multi-Press Mini 22 V ACC and Multi-Press Mini S 22 V ACC:

**System-specific pressing tongs Mini / pressing rings for all common press fitting systems.**

- Driven by ROLLER'S Multi-Press Mini ACC, ROLLER'S Multi-Press Mini 22 V ACC and ROLLER'S Multi-Press Mini S 22 V ACC. Read and follow the installation and assembly instructions of the system provider/manufacturer.
- **Choose your own pressing tongs Mini / pressing rings!**  
Just select the desired pressfitting system and pressing tongs size / pressing ring size in the table on pages 50–61. Please note that pressfitting systems for gas installation may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.
- **ROLLER'S Mini pressing tongs**  
Very compact design and low weight of the ROLLER'S Mini pressing tongs due to special arrangement of the pressing tongs connection (Patent EP 1 952 948).  
Recesses in the pressing jaws for safe guidance of the connecting lugs for offset-free pressing (Patent EP 2 347 862).
- **ROLLER'S Pressing 45° (PR-2B)**  
Pressing ring 45° (PR-2B), with 2 pressing jaws, for applying the pressing jaws safely in places of difficult access by using an inclination of 45° (Patent EP 2 774 725). Drive with adapter tongs.
- Precisely worked and exactly rounded, system-specific press contour according to the respective pressfitting system for perfectly system-conformant, reliable pressing.
- The pressing tongs / pressing rings are made from tenacious, specially hardened special steel and they are therefore highly resistant. For maximum quality demands and long life.
- Confirmations of suitability see page 43.
- SHK liability acceptance agreements see page 44.

**Traceability according to EN 1775:2007.**

- ROLLER'S pressing tongs Mini with press contour F, M, V, SA, B, RN and UP have worked a specific marking in the press contour which leaves a lasting impression directly on the pressed fitting after the pressing process. This enables the user to check again whether the most suitable pressing tongs Mini have been used to make the pressfit connection even after the pressing process.
- With this traceability ROLLER fulfils the recommendation of the European standard EN 1775:2007 for the installation of pressfitting systems for gas.

# ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S Multi-Press Mini ACC, Multi-Press Mini 22V ACC and Multi-Press Mini S 22V ACC:

System	Pressing contour	Art.-No.	
<b>A</b>			
AC-FIX PRESS (Global Piping Systems)	H 12	578396	
	H 16	578400	
	H 20	578406	
	H 25	578408	
	H 32	578412	
	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	VX 16	578552	
	VX 20	578554	
	AC-FIX PRESS-MULTI (Global Piping Systems)	H 16	578400
		H 18	578404
		H 20	578406
		H 25	578408
H 32		578412	
RFz 16		578492	
RFz 20		578494	
RFz 25		578496	
RFz 32		578498	
U 16		578374	
ACOME MT	ACz 12	578608	
	ACz 16	578610	
	ACz 20	578612	
	ACz 25	578614	
AHLSELL A-press elförzinkad	M 12	578310	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) <sup>3</sup>	574520 R	
	M 15 45° (PR-2B) <sup>3</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3</sup>	574524 R	
	M 22 45° (PR-2B) <sup>3</sup>	574526 R	
	M 28 45° (PR-2B) <sup>3</sup>	574528 R	
	M 35 45° (PR-2B) <sup>3</sup>	574530 R	
	AHLSELL A-press koppar	V 12	578324
V 15		578328	
V 18		578332	
V 22		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) <sup>3</sup>		574502 R	
V 15 45° (PR-2B) <sup>3</sup>		574504 R	
V 18 45° (PR-2B) <sup>3</sup>		574506 R	
V 22 45° (PR-2B) <sup>3</sup>		574508 R	
V 28 45° (PR-2B) <sup>3</sup>		574510 R	
V 35 45° (PR-2B) <sup>3</sup>		574512 R	
AHLSELL A-press rostfritt		M 15	578312
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) <sup>3</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3</sup>	574524 R	
	M 22 45° (PR-2B) <sup>3</sup>	574526 R	
	M 28 45° (PR-2B) <sup>3</sup>	574528 R	
	M 35 45° (PR-2B) <sup>3</sup>	574530 R	
	AHLSELL Presskulventil a-collection 1372M	M 12	578310
		M 15	578312
		M 18	578314
M 22		578316	
M 28		578318	
M 35		578390	
M 12 45° (PR-2B) <sup>3</sup>		574520 R	
M 15 45° (PR-2B) <sup>3</sup>		574522 R	
M 18 45° (PR-2B) <sup>3</sup>		574524 R	
M 22 45° (PR-2B) <sup>3</sup>		574526 R	
M 28 45° (PR-2B) <sup>3</sup>		574528 R	
M 35 45° (PR-2B) <sup>3</sup>		574530 R	
AHLSELL Presskulventil a-collection 1372V		V 12	578324
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) <sup>3</sup>	574502 R	
	V 15 45° (PR-2B) <sup>3</sup>	574504 R	
	V 18 45° (PR-2B) <sup>3</sup>	574506 R	
	V 22 45° (PR-2B) <sup>3</sup>	574508 R	
	V 28 45° (PR-2B) <sup>3</sup>	574510 R	
	V 35 45° (PR-2B) <sup>3</sup>	574512 R	
	AIRBEL PRESSCLIM	M 15	578312
M 18		578314	
M 22		578316	
M 28		578318	
M 35		578390	
M 15 45° (PR-2B) <sup>3</sup>		574522 R	
M 18 45° (PR-2B) <sup>3</sup>		574524 R	
M 22 45° (PR-2B) <sup>3</sup>		574526 R	
M 28 45° (PR-2B) <sup>3</sup>		574528 R	
M 35 45° (PR-2B) <sup>3</sup>		574530 R	
AIRBEL SERTINOX	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) <sup>3</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3</sup>	574524 R	
	M 22 45° (PR-2B) <sup>3</sup>	574526 R	
	M 28 45° (PR-2B) <sup>3</sup>	574528 R	
	M 35 45° (PR-2B) <sup>3</sup>	574530 R	

System	Pressing contour	Art.-No.	
ALB Sistema Multicapa	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
	ALB Sistema Multicapa Gas	TH 16	578352
		TH 20	578358
		TH 26	578362
TH 32		578364	
H 16		578400	
H 20		578406	
H 26		578410	
H 32		578412	
U 16		578374	
U 20		578378	
APE Serie AP	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 18	578356	
APE Serie AP Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 20	578460	
AQUATECHNIK Universal	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) <sup>3</sup>	574550 R	
	F 20 45° (PR-2B) <sup>3</sup>	574552 R	
	F 26 45° (PR-2B) <sup>3</sup>	574554 R	
	F 32 45° (PR-2B) <sup>3</sup>	574556 R	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
ARKA DUROsystem	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	H 16	578400	
ASCHL NIR	H 20	578406	
	H 25	578408	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
ASSOTHERM IPC-RAC Carbon Steel	U 20	578378	
	U 25	578380	
	U 32	578382	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) <sup>3</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3</sup>	574524 R	

System	Pressing contour	Art.-No.
ASSOTHERM IPI-RAX Inox	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3</sup>	574522 R
	M 18 45° (PR-2B) <sup>3</sup>	574524 R
	M 22 45° (PR-2B) <sup>3</sup>	574526 R
	M 28 45° (PR-2B) <sup>3</sup>	574528 R
	M 35 45° (PR-2B) <sup>3</sup>	574530 R
ASSOTHERM IPM-Multistrato	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	THL 32	578368
	U 16	578374
ASSOTHERM IPR-RRR Copper	U 20	578378
	C 26	578392
	U 32	578382
	U 40	578386
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3</sup>	574522 R
ASSOTHERM IPR-RRR Copper Gas	M 18 45° (PR-2B) <sup>3</sup>	574524 R
	M 22 45° (PR-2B) <sup>3</sup>	574526 R
	M 28 45° (PR-2B) <sup>3</sup>	574528 R
	M 35 45° (PR-2B) <sup>3</sup>	574530 R
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3</sup>	574522 R
ASTM F 1807 (Fittings with Copper Crimp Ring for PEX tubing)	US 3/4"	578534
	US 1/2"	578536
	US 3/4"	578538
	US 1"	578540
<b>B</b>		
Bampi BALPEX (serie MP)	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
Bampi BALPEX Gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
BARBI EASYPRESS (Industrial Blansol)	TH 40	578624
	H 12	578396
	H 16	578400
	H 20	578406
	H 25	578408
	H 32	578412
	RFz 12	578492
	RFz 16	578494
	RFz 20	578496
	RFz 25	578498
BARBI MULTIPEX (Industrial Blansol)	RFz 32	578498
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 25	578408
BEGETUBE/ IVAR	H 26	578410
	H 32	578412
	RFz 16	578492
	RFz 18	578638
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 26	578362
BRASELI GPF GAS	TH 32	578364
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
BRASELI Pressfitting PE-X	U 32	578382
	U 40	578386
	B 14	578466
	B 16	578468
	B 18	578470
BRASELI Pressfitting Multicapa	B 20	578472
	B 26	578474
	B 32	578476
	TH 16	578352
	TH 20	578358
BRASELI Pressfitting Multicapa	TH 25	578360
	TH 32	578364
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
BRASELI Pressfitting Multicapa	RFz 32	578498
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
BRASELI Pressfitting Multicapa	U 32	578382
	U 40	578386
	U 16	578374
	U 18	578376
	U 20	578378

System	Pressing contour	Art.-No.	
Brass Form Master Press	H 16	578400	
	H 18	578404	
	H 20	578406	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	Brass & Fittings Pressman Multicapa	RFz 16	578492
RFz 18		578638	
ACz 20		578612	
RFz 25		578496	
Brass & Fittings Retipress	RFz 16	578492	
	RFz 18	578638	
BRASSTECH MULTItermoSAN Brasspress	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R	
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R	
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R	
Business Key MT-PRESS (inox)	M 16	578400	
	M 18	578404	
	M 20	578406	
	M 26	578410	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
C	U 16	578374	
	U 18	578376	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
Cello Products <B>Press	VUS ½" (OD 15,9 mm)	578566	
	VUS ¾" (OD 22,2 mm)	578568	
	VUS 1" (OD 28,6 mm)	578570	
	VUS 1¼" (OD 34,9 mm)	578606	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	Climatek Clima Therm	TH 14	578348
TH 16		578352	
TH 18		578356	
TH 20		578358	
TH 26		578362	
TH 32		578364	
Climatrix Climatrix Rhinopex	H 16	578400	
	H 20	578406	
	U 16	578374	
	U 20	578378	
	TH 14	578348	
	TH 16	578352	
ClouSet	TH 18	578356	
	TH 20	578358	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 32	578364	
COMAP SudoPress Carbon	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	Comap SudoPress Copper	V 12	578324
		V 14	578326
		V 15	578328
		V 16	578330
V 18		578332	
V 22		578334	
V 28		578336	
V 35		578604	

System	Pressing contour	Art.-No.	
Comap SudoPress Copper Gas	V 12	578324	
	V 14	578326	
	V 15	578328	
	V 16	578330	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	COMAP SudoPress Copper Solar	V 14	578326
		V 15	578328
V 16		578330	
V 18		578332	
V 22		578334	
COMAP SudoPress Stainless		V 15	578328
		V 18	578332
		V 22	578334
		V 28	578336
		V 35	578604
	Comap PexPress	RFz 12	578490
		RFz 16	578492
		RFz 20	578494
		RFz 25	578496
		Comap SkinPress	TH 14
TH 16	578352		
TH 18	578356		
TH 20	578358		
TH 26	578362		
Comap SkinPress PPSU	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	THL 32	578368	
	TH 40	578624	
COMAP Xpress Carbon	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	THL 32	578368	
	TH 40	578624	
COMAP Xpress Copper	M 12	578310	
	M 15	578312	
	M 18 <sup>0)</sup>	578314	
	M 22	578316	
	M 28 <sup>0)</sup>	578318	
	M 35	578390	
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R	
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R	
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R	
M 28 45° (PR-2B) <sup>3)</sup>	574528 R		
M 35 45° (PR-2B) <sup>3)</sup>	574530 R		
COMAP Xpress Copper Gas	M 15	578312	
	M 18 <sup>0)</sup>	578314	
	M 22	578316	
	M 28 <sup>0)</sup>	578318	
	M 35	578390	
COMAP Xpress Stainless	M 15	578312	
	M 18 <sup>0)</sup>	578314	
	M 22	578316	
	M 28 <sup>0)</sup>	578318	
	M 35	578390	
COMISA Press System	M 15 45° (PR-2B) <sup>3)</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R	
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R	
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R	
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R	
	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
TH 26	578362		
TH 32	578364		
TH 40	578624		
H 14	578398		
H 16	578400		
H 18	578404		
H 20	578406		
H 26	578410		
H 32	578412		
B 14	578466		
B 16	578468		
B 18	578470		
B 20	578472		
B 26	578474		
B 32	578476		
COMISA Press System Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	

System	Pressing contour	Art.-No.	
CONEL CONNECT MULTI	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R	
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R	
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R	
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R	
	H 16	578400	
	H 20	578406	
(DN 26)	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
D	VP 16	578482	
	VP 20	578484	
	VP 32	578488	
	DIWAsystems	TH 14	578348
TH 16		578352	
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
DUOFIL		U 16	578374
		U 18	578376
MKSYSYSTEM		U 20	578378
		U 25	578380
	U 32	578382	
DW Verbundrohr multitubo systems	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
E	U 32	578382	
	EBRILLE Isomonflex	U 16	578374
		U 18	578376
		U 20	578378
		U 25	578380
		H 26	578410
		TH 26	578362
	EBRILLE Monflex	U 32	578382
		U 40	578386
		U 14	578372
U 16		578374	
U 18		578376	
U 20		578378	
EFFEBI PRESSTIGE	U 25	578380	
	H 26	578410	
	TH 26	578362	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R	
EFFEBI TOF-GAS MULTIPINZA	M 22 45° (PR-2B) <sup>3)</sup>	574526 R	
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R	
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R	
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R	
V 22 45° (PR-2B) <sup>3)</sup>	574508 R		
V 28 45° (PR-2B) <sup>3)</sup>	574510 R		
V 35 45° (PR-2B) <sup>3)</sup>	574512 R		
MULTI	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
U 20	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
U 32	578382		

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For accommodating suitable pressing inserts.
- 3) Adaptor tongs, see page 61, are necessary for driving the pressing rings (PR).
- 4) Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 201), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw. Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 16.5.2018. The current status can be found on the Internet: [www.albert-roller.de](http://www.albert-roller.de) → Downloads → Product Catalogues, Brochures → ROLLER Catalogue. Pressing tongs/pressing rings for other press fitting systems on request.

# ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S Multi-Press Mini ACC, Multi-Press Mini 22V ACC and Multi-Press Mini S 22V ACC:

System	Pressing contour	Art.-No.
EFFEBI TOF	TH 16	578352
	TH 18	578356
	TH 20	578358
MULTIPINZA	TH 26	578362
	TH 32	578364
	TH 40	578624
	F 16	578456
	F 18	578458
	F 20	578460
	F 26	578462
	F 32	578464
	Fz 40	578478
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 18	578376
U 20	578378	
U 25	578380	
C 26	578392	
U 32	578382	
U 40	578386	
B 16	578468	
B 18	578470	
B 20	578472	
B 26	578474	
B 32	578476	
Elkhart	VUS ½" (OD 15,9mm)	578566
APOLLOXPRESS	VUS ¾" (OD 22,2mm)	578568
Fittings Copper	VUS 1" (OD 28,6mm)	578570
and Low-Lead Brass	VUS 1½" (OD 34,9mm)	578606
EMMETI	B 16	578468
GERPEX-	B 20	578472
FIVPRESS	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	H 16	578400
	H 20	578406
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
EMPUR	TH 15	578350
	TH 15	578350
	TH 17	578354
	TH 20	578358
EURACCORDI	M 15	578312
SYCPRESS	M 18	578314
STAINLESS	M 22	578316
STEEL PRESS	M 28	578318
FITTINGS	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
EURACCORDI	M 15	578312
SYCPRESS	M 18	578314
CARBON STEEL	M 22	578316
PRESS FITTINGS	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
EUROTUBI	M 12	578310
Europa C-STAH	M 15	578312
PRESSFITTING	M 18	578314
SISTEM <sup>1)</sup>	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
EUROTUBI	M 15	578312
Europa INOX	M 18	578314
PRESSFITTING	M 22	578316
SISTEM <sup>1)</sup>	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
Evans	VAU 15 (¾")	578630
Components	VAU 20 (¾")	578632
Pressslok	VAU 25 (1")	578634

System	Pressing contour	Art.-No.
<b>F</b>		
FAR Rubinetterie	TH 14	578348
PRESSFAR	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
F.B.Q. BARONIO	V 12	578324
BQ press	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	V 14 45° (PR-2B) <sup>3)</sup>	574532 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 16 45° (PR-2B) <sup>3)</sup>	574534 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
F.B.Q. BARONIO	V 15	578328
BQ press	V 18	578332
carbon steel	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
F.B.Q. BARONIO	V 15	578328
BQ press gas	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
Fercofloor	RFz 16	578492
DUO Press	RFz 20	578494
FERCO PEX	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
Fercofloor	RFz 16	578492
DUO Press	RFz 20	578494
MULTIFER	RFz 25	578496
	RFz 32	578498
	U 16	578374
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
FILINOX	M 15	578312
Instalpress	M 18	578314
Steel	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
FILINOX	M 15	578312
Instalpress	M 18	578314
Inox	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
Fittings Estándar	RFz 16	578492
ECO-PRESS	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
Fittings Estándar	RFz 16	578492
MULTICAPA	RFz 18	578638
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498

System	Pressing contour	Art.-No.
Fittings Estándar	RFz 16	578492
PE-X	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
FOHS	TH 16	578352
HEIZTECHNIK	TH 20	578358
FOHSPRESS	TH 26	578362
	TH 32	578364
FORNARA	B 16	578468
ForPress	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
FRABO	V 12	578324
CHROMEPPRESS	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
FRABO	V 12	578324
FRABOPRESS	V 15	578328
C-STEEL	V 18	578332
Securfrabo	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
FRABO	V 15	578328
FRABOPRESS	V 18	578332
C-STEEL GAS	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
FRABO	V 12	578324
FRABOPRESS	V 15	578328
INOX 316	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
FRABO	V 15	578328
FRABOPRESS	V 18	578332
INOX 316 GAS	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
FRABO	H 16	578400
FRABOPRESS	H 20	578406
MULTI-BRASS	TH 16	578352
(MB)	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
FRABO	H 16	578400
FRABOPRESS	H 20	578406
MULTI-PLUS	H 26	578410
(MP)	U 16	578374
	U 20	578378
	C 26	

System	Pressing contour	Art.-No.
FRABO	V 12	578324
FRABOPRESS	V 15	578328
RAME (Cu)	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
FRABO	V 15	578328
SOLARPRESS	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
FRABO FRABO	M 22	578316
TS PRESS	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	V 22	578334
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
Fränkische	B 16	578468
alpeX-duo	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 18	578458
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
Fränkische	F 16	578456
alpeX F50 PROFI	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
(DN 26)	U 25	578380
	U 32	578382
	VP 16	578482
	VP 20	578484
	VP 32	578488
Fränkische	F 20	578460
alpeX-gas	F 26	578462
	F 32	578464
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R
Fränkische	Fz 40	578478
alpeX L		
<b>G</b>		
gaboTherm H+S	TH 10	578342
	TH 12	578346
	TH 14	578348
	TH 15	578350
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
Gallagher USA	H 12 (1/2")	578396
YogaPipe ACR	U 14 (3/4")	578372
	U 16 (1/2")	578374
	U 18 (3/4")	578376
	U 20 (1")	578378
	U 25 (1 1/4")	578380
	U 32 (1 1/2")	578382

System	Pressing contour	Art.-No.
Geberit Mapress	M 12	578310
C-STAHl	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
Geberit Mapress	M 12	578310
EDELSTAHL	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
Geberit Mapress	M 15	578312
EDELSTAHL Gas	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
Geberit Mapress	M 12	578310
KUPFER	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
Geberit Mapress	M 15	578312
KUPFER Gas	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
Geberit Mepla	G 16	578444
	G 20	578446
	G 26	578448
	G 32	578450
	G 40	578452
Geberit Mepla	G 16	578444
Therm	G 20	578446
	G 26	578448
General Fittings	H 16	578400
5T00	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
General Fittings	B 16	578468
Serie 5S00	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R
	H 16	578400
	H 18	578404
	H 20	578406
	H 25	578408
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
Gallagher USA	H 12 (1/2")	578396
YogaPipe ACR	U 14 (3/4")	578372
	U 16 (1/2")	578374
	U 18 (3/4")	578376
	U 20 (1")	578378
	U 25 (1 1/4")	578380
	U 32 (1 1/2")	578382

System	Pressing contour	Art.-No.
General Fittings	B 16	578468
Trident	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
General Fittings	H 16	578400
Trident Gas	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
Giacomini	H 16	578400
Raccordi RM	H 20	578406
Giacomini	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 32	578382
	U 40	578386
Giacomini	H 16	578400
RM MULTIGAS	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
Giacomini	V 15	578328
Valvole Giacomini	V 18	578332
serie R850V	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
Golan Pipe	U 16	578374
Systems	U 20	578378
(Scandinavia)	U 25	578380
Alu-Pres	U 32	578382
	U 40	578386
Grinnell G-PRESS	VUS 1/2" (OD 15,9 mm)	578566
Copper Fittings	VUS 3/4" (OD 22,2 mm)	578568
	VUS 1" (OD 28,6 mm)	578570
	VUS 1 1/2" (OD 34,9 mm)	578606
GS	TH 14	578348
Wärmesysteme	TH 16	578352
System TH	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table. Observe the national regulations.

- Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- For accommodating suitable pressing inserts.
- Adaptor tongs, see page 61, are necessary for driving the pressing rings (PR).
- Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 201), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw. Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 16.5.2018. The current status can be found on the Internet: [www.albert-roller.de](http://www.albert-roller.de) → Downloads → Product Catalogues, Brochures → ROLLER Catalogue. Pressing tongs/pressing rings for other press fitting systems on request.

# ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S Multi-Press Mini ACC, Multi-Press Mini 22V ACC and Multi-Press Mini S 22V ACC:

System	Pressing contour	Art.-No.
GS	V 15	578328
Wärmesysteme	V 18	578332
System V	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R

## H

HakaGerodur	TH 10	578342
HakaGerodur-System	TH 11,6	578344
	TH 12	578346
	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624

HASTINIK	M 15	578312
Hastinik/Hitpress	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R

heima-press	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624

HELIROMA	U 16	578374
klimapress	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386

HELIROMA	RfZ 16	578492
romapress	RfZ 20	578494
	RfZ 25	578496
	RfZ 32	578498

Henco	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	HE 32	578370
	HEz 40 <sup>d)</sup>	578572

Herotec	H 16	578400
TEMPUS-PRESS	H 20	578406
PLUS	H 25	578408
	H 32	578412
	RfZ 16	578492
	RfZ 20	578494
	RfZ 25	578496
	RfZ 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386

Herz PIPEFIX	TH 10	578342
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624

HITEC Sistema	TH 14	578348
Multistrato	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624

Hopewell	M 15	578312
press fit system	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390

hp praski	TH 10	578342
BAVARIA-press	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624

## I

IBP >B< Flex	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382

System	Pressing contour	Art.-No.
IBP >B< Press	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	V 14 45° (PR-2B) <sup>3)</sup>	574532 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 16 45° (PR-2B) <sup>3)</sup>	574534 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R

IBP >B< Press Carbon	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R

IBP >B< Press Gas	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R

IBP >B< Press Inox	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R

IBP >B< Press Solar	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R

ICMA	H 16	578400
Sempiter	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 32	578382
	U 40	578386

ICMA	TH 16	578352
Sempigas	TH 20	578358
	TH 26	578362
	TH 32	578364

Idrosanitaria	TH 16	578352
Bonomi	TH 20	578358
Homegas	TH 26	578362
Idrosanitaria	TH 16	578352
Bonomi	TH 18	578356
Idropress	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624

IDROSISTEMI	TH 16	578352
Ta-Press	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R
	Fz 40	578478
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
	U 40	578386
	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476

System	Pressing contour	Art.-No.
ILTA	M 12	578310
INOX/CHIBRO	M 15	578312
Pressfitting Cuni	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R

ILTA	M 15	578312
INOX/CHIBRO	M 18	578314
Pressfitting inox	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R

IPA IPANA Press	TH 10	578342
	TH 11,6	578344
	TH 12	578346
	TH 14	578348
	TH 15	578350
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 22	578588
	TH 25	578360
	TH 26	578362
	TH 28	578590
	TH 32	578364
	TH 40	578624

IPA ThU	TH 16	578352
IPANA Press	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624

IPALPEX	TH 14	578348
(Industrie du	TH 16	578352
Plastique et	TH 18	578356
Accessoires)	TH 20	578358
	TH 26	578362
	THL 32	578368
	TH 40	578624

IPLEX	K16/P18	578592
-------	---------	--------

PIPELINES	IPLEX	K16/P18	578592
AUSTRALIA	PIPELINES	K20	578594
	AUSTRALIA	K25	578596
	Ipflex K1	K32	578598
	(Gas)	K1/40	578600
	IPLEX	K16/P18	578592
	PIPELINES	K20	578594
	AUSTRALIA	K25	578596
	Ipflex K2		

ISOTUBI	M 15	578312
NUMEPRESS	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B)<	

System	Pressing contour	Art.-No.	System	Pressing contour	Art.-No.	System	Pressing contour	Art.-No.		
IVAR Multi Press MP	TH 16	578352	IVAR Plastic Multi Press Leak (PMPL)	TH 16	578352	KAN KAN-therm LBP	TH 14	578348		
	TH 18	578356		TH 20	578358		TH 16	578352		
	TH 20	578358		TH 26	578362		TH 20	578358		
	TH 25	578360		TH 32	578364		TH 25	578360		
	TH 26	578362		F 16	578456		TH 26	578362		
	TH 32	578364		F 20	578460		TH 32	578364		
	TH 40	578624		F 26	578462		TH 40	578624		
	F 16	578456		F 32	578464		U 14	578372		
	F 18	578458		Fz 40	578478		U 16	578374		
	F 20	578460		F 16 45° (PR-2B) <sup>3)</sup>	574550 R		U 20	578378		
	F 26	578462		F 20 45° (PR-2B) <sup>3)</sup>	574552 R		U 25	578380		
	F 32	578464		F 26 45° (PR-2B) <sup>3)</sup>	574554 R		C 26	578392		
	H 16	578400		F 32 45° (PR-2B) <sup>3)</sup>	574556 R		U 32	578382		
	H 18	578404		H 16	578400		U 40	578386		
	H 20	578406		H 20	578406		M 15	578312		
	H 25	578408		H 26	578410		M 18 <sup>1)</sup>	578314		
	H 26	578410		H 32	578412		M 22	578316		
	H 32	578412		U 16	578374		M 28 <sup>1)</sup>	578318		
	U 16	578374		U 18	578376		M 35	578390		
	U 18	578376		U 20	578378		M 15 45° (PR-2B) <sup>3)</sup>	574522 R		
	U 20	578378		U 25	578380		M 18 45° (PR-2B) <sup>3)</sup>	574524 R		
	U 25	578380		C 26	578392		M 22 45° (PR-2B) <sup>3)</sup>	574526 R		
	C 26	578392		U 32	578382		M 28 45° (PR-2B) <sup>3)</sup>	574528 R		
	U 32	578382		U 40	578386		M 35 45° (PR-2B) <sup>3)</sup>	574530 R		
	U 40	578386		B 16	578468		KE KELIT	U 16	578374	
	B 16	578468		B 18	578470		KELIT KELOX	U 18	578376	
	B 18	578470		B 20	578472		U 20	578378		
	B 20	578472		B 26	578474		U 25	578380		
	B 26	578474		B 32	578476		U 32	578382		
	B 32	578476		IVAR Multi Press Leak (MPL)	TH 16		578352	U 40	578386	
	IVAR Multi Press Leak (MPL)	TH 20		578358	TH 20		578358	KE KELIT COPPERFIX Kupfer	M 15	578312
		TH 26		578362	TH 32		578364	M 18	578314	
		TH 32		578364	F 16		578456	M 22	578316	
F 16		578456	F 20	578460	M 28	578318				
F 20		578460	F 26	578462	M 35	578390				
F 26		578462	F 32	578464	M 15 45° (PR-2B) <sup>3)</sup>	574522 R				
F 32		578464	F 16 45° (PR-2B) <sup>3)</sup>	574550 R	M 18 45° (PR-2B) <sup>3)</sup>	574524 R				
F 16 45° (PR-2B) <sup>3)</sup>		574550 R	F 20 45° (PR-2B) <sup>3)</sup>	574552 R	M 22 45° (PR-2B) <sup>3)</sup>	574526 R				
F 20 45° (PR-2B) <sup>3)</sup>		574552 R	F 26 45° (PR-2B) <sup>3)</sup>	574554 R	M 28 45° (PR-2B) <sup>3)</sup>	574528 R				
F 26 45° (PR-2B) <sup>3)</sup>		574554 R	F 32 45° (PR-2B) <sup>3)</sup>	574556 R	M 35 45° (PR-2B) <sup>3)</sup>	574530 R				
F 32 45° (PR-2B) <sup>3)</sup>		574556 R	H 16	578400	KE KELIT steelFIX C-Stahl	M 15	578312			
H 16		578400	H 20	578406	M 18	578314				
H 20		578406	H 26	578410	M 22	578316				
H 26		578410	H 32	578412	M 28	578318				
H 32		578412	U 16	578374	M 35	578390				
U 16		578374	U 18	578376	M 15 45° (PR-2B) <sup>3)</sup>	574522 R				
U 18		578376	U 20	578378	M 18 45° (PR-2B) <sup>3)</sup>	574524 R				
U 20		578378	C 26	578392	M 22 45° (PR-2B) <sup>3)</sup>	574526 R				
C 26		578392	U 32	578382	M 28 45° (PR-2B) <sup>3)</sup>	574528 R				
U 32		578382	U 40	578386	M 35 45° (PR-2B) <sup>3)</sup>	574530 R				
U 40		578386	B 16	578468	KE KELIT steelFIX Edelstahl	M 15	578312			
B 16		578468	B 20	578472	M 18	578314				
B 20		578472	B 26	578474	M 22	578316				
B 26		578474	B 32	578476	M 28	578318				
B 32		578476	IVAR Plastic Multi Press PMP	TH 16	578352	M 35	578390			
IVAR Plastic Multi Press PMP		TH 20	578358	TH 20	578358	M 15 45° (PR-2B) <sup>3)</sup>	574522 R			
		TH 25	578360	TH 26	578362	M 18 45° (PR-2B) <sup>3)</sup>	574524 R			
		TH 26	578362	TH 32	578364	M 22 45° (PR-2B) <sup>3)</sup>	574526 R			
		TH 32	578364	F 16	578456	M 28 45° (PR-2B) <sup>3)</sup>	574528 R			
		F 16	578456	F 20	578460	M 35 45° (PR-2B) <sup>3)</sup>	574530 R			
		F 20	578460	F 26	578462	Jäger - Aquatec Edelstahl - Press Typ M	M 15	578312		
		F 26	578462	F 32	578464	M 18	578314			
		F 32	578464	F 16 45° (PR-2B) <sup>3)</sup>	574550 R	M 22	578316			
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R	F 20 45° (PR-2B) <sup>3)</sup>	574552 R	M 28	578318				
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R	F 26 45° (PR-2B) <sup>3)</sup>	574554 R	M 35	578390				
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R	F 32 45° (PR-2B) <sup>3)</sup>	574556 R	M 15 45° (PR-2B) <sup>3)</sup>	574522 R				
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R	H 16	578400	M 18 45° (PR-2B) <sup>3)</sup>	574524 R				
	H 16	578400	H 20	578406	M 22 45° (PR-2B) <sup>3)</sup>	574526 R				
	H 20	578406	H 26	578410	M 28 45° (PR-2B) <sup>3)</sup>	574528 R				
	H 26	578410	H 32	578412	M 35 45° (PR-2B) <sup>3)</sup>	574530 R				
	H 32	578412	U 16	578374	Jäger - Aquatec Kupfer - Press Typ V	V 15	578328			
	U 16	578374	U 18	578376	V 18	578332				
	U 18	578376	U 20	578378	V 22	578334				
	U 20	578378	C 26	578392	V 28	578336				
	C 26	578392	U 32	578382	V 35	578604				
	U 32	578382	U 40	578386	V 15 45° (PR-2B) <sup>3)</sup>	574504 R				
	U 40	578386	B 16	578468	V 18 45° (PR-2B) <sup>3)</sup>	574506 R				
	B 16	578468	B 20	578472	V 22 45° (PR-2B) <sup>3)</sup>	574508 R				
	B 20	578472	B 26	578474	V 28 45° (PR-2B) <sup>3)</sup>	574510 R				
	B 26	578474	B 32	578476	V 35 45° (PR-2B) <sup>3)</sup>	574512 R				
	B 32	578476	Jansen JANSEN prima	TH 14	578348	KEMBLA KemPress (AUS)	VAU 15 (OD 12,7 mm)	578630		
	IVAR Plastic Multi Press PMP	TH 20	578358	TH 16	578352	VAU 20 (OD 19,1 mm)	578632			
		TH 25	578360	TH 18	578356	VAU 25 (OD 25,4 mm)	578634			
		TH 26	578362	TH 20	578358	VAU 32 (OD 31,8 mm)	578636			
		TH 32	578364	TH 25	578362	KEMBLA KemPress Gas (AUS)	VAU 15 (OD 12,7 mm)	578630		
		F 16	578456	TH 26	578362	VAU 20 (OD 19,1 mm)	578632			
		F 20	578460	TH 32	578364	VAU 25 (OD 25,4 mm)	578634			
		F 26	578462	TH 40	578624	VAU 32 (OD 31,8 mm)	578636			
F 32		578464	Jarallex- Presssystem	TH 14	578348	KISAN	KI 16	578524		
F 16 45° (PR-2B) <sup>3)</sup>		574550 R	TH 16	578352	Kisan KD	KI 20	578526			
F 20 45° (PR-2B) <sup>3)</sup>		574552 R	TH 18	578356	KI 25	578528				
F 26 45° (PR-2B) <sup>3)</sup>		574554 R	TH 20	578358	TH 16	578352				
F 32 45° (PR-2B) <sup>3)</sup>		574556 R	TH 25	578360	TH 20	578358				
H 16		578400	TH 26	578362	TH 25	578360				
H 20		578406	TH 32	578364	KISAN Kisan WL	KI 16	578524			
H 25		578408	TH 40	578624	KI 20	578526				
H 26		578410	JUNGWOO JWPress	VUS ½" (OD 15,9 mm)	578566	KI 25	578528			
H 32		578412	VUS ¾" (OD 22,2 mm)	578568	KI 32	578530				
U 16		578374	VUS 1" (OD 28,6 mm)	578570	TH 16	578352				
U 20		578378	VUS 1½" (OD 34,9 mm)	578606	TH 20	578358				
U 25		578380	K		TH 25	578360				
C 26		578392	KAN	U 16	578374	TH 32	578364			
U 32		578382	KAN-therm	U 20	578378	KISAN Kisan WM	KI 16	578524		
B 16		578468	U 25	578380	KI 20	578526				
B 20		578472	C 26	578392	KI 25	578528				
B 26		578474	U 32	578382	KI 32	578530				
B 32		578476	U 40	578386	KISAN	U 20	578378			
IVAR Plastic Multi Press PMP		TH 16	578352	U 25	578380	Kisan WR	U 25	578380		
		TH 20	578358	C 26	578392	U 32	578382			
		TH 25	578360	U 40	578386	U 40	578386			
		TH 26	578362	IVAR Multi Press MP	TH 16	578352				
		TH 32	578364	TH 18	578358					
		F 16	578456	TH 20	578358					
		F 20	578460	TH 26	578362					
	F 26	578462	TH 32	578364						
	F 32	578464	F 16	578456						
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R	F 20	578460						
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R	F 26	578462						
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R	F 32	578464						
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R	Fz 40	578478						
	H 16	578400	F 16 45° (PR-2B) <sup>3)</sup>	574550 R						
	H 20	578406	F 20 45° (PR-2B) <sup>3)</sup>	574552 R						
	H 25	578408	F 26 45° (PR-2B) <sup>3)</sup>	574554 R						
	H 26	578410	F 32 45° (PR-2B) <sup>3)</sup>	574556 R						
	H 32	578412	H 16	578400						
	U 16	578374	H 20	578406						
	U 18	578376	H 26	578410						
	U 20	578378	H 32	578412						
	U 25	578380	U 16	578374						
	C 26	578392	U 18	578376						
	U 32	578382	U 20	578378						
	B 16	578468	C 26	578392						
	B 20	578472	U 40	578386						
	B 26	578474	IVAR Multi Press Leak (MPL)	TH 16	578352					
	B 32	578476	TH 20	578358						
	IVAR Multi Press Leak (MPL)	TH 26	578362	TH 32	578364					
		TH 32	578364	F 16	578456					
		F 16	578456	F 20	578460					
		F 20	578460	F 26	578462					
		F 26	578462	F 32	578464					
F 32		578464	F 16 45° (PR-2B) <sup>3)</sup>	574550 R						
F 16 45° (PR-2B) <sup>3)</sup>		574550 R	F 20 45° (PR-2B) <sup>3)</sup>	574552 R						
F 20 45° (PR-2B) <sup>3)</sup>		574552 R	F 26 45° (PR-2B) <sup>3)</sup>	574554 R						
F 26 45° (PR-2B) <sup>3)</sup>		574554 R	F 32 45° (PR-2B) <sup>3)</sup>	574556 R						
F 32 45° (PR-2B) <sup>3)</sup>		574556 R	H 16	578400						
H 16		578400	H 20	578406						
H 20		578406	H 26	578410						
H 26		578410	H 32	578412						
H 32		578412	U 16	578374						
U 16		578374	U 18	578376						
U 18		578376	U 20	578378						
U 20		578378	C 26	578392						
C 26		578392	U 32	578382						
U 32		578382	U 40	578386						
U 40										



## ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S Multi-Press Mini ACC, Multi-Press Mini 22V ACC and Multi-Press Mini S 22V ACC:

System	Pressing contour	Art.-No.
KISAN	M 15	578312
Kistal C	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
KISAN	M 15	578312
Kistal Inox	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
KME	TH 14	578348
cuprotherm CTX	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
KME	TH 14	578348
QTEC - Comap	TH 16	578352
SkinPress	TH 20	578358
	TH 26	578362
KME	H 16 A	578420
QTEC - Oventrop	H 20 A	578426
Cofit	H 26 A	578430
<b>L</b>		
LECHAR	TH 16	578352
ALCOBRAPEX	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
LECHAR	U 16	578374
COBRAPEX	U 20	578378
	U 25	578380
	U 32	578382
LEGEND-PRESS	VUS ½" (OD 15,9mm)	578566
press fitting system	VUS ¾" (OD 22,2mm)	578568
	VUS 1" (OD 28,6mm)	578570
	VUS 1½" (OD 34,9mm)	578606
LK Systems	V 12	578324
LK >B<-Press	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
LK Systems	V 12	578324
LK >B<-Press	V 15	578328
Elförzinkt	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
LK Systems	V 15	578328
LK >B<-Press	V 18	578332
Gas	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
LK Systems	TH 16	578352
LK Universal	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 40	578624
LVI-DAHL	U 16	578374
Altech-Alupex	U 20	578378
	U 25	578380
	U 32	578382
<b>M</b>		
MAINCOR	U 16	578374
MAINPRESS	U 20	578378
	U 25	578380
	U 32	578382
MAINCOR	U 16	578374
MAINFLOOR	U 20	578378
	U 25	578380
	U 32	578382
MAINCOR	M 15	578312
MAINOX	M 18	578314
	M 22	578316
	M 28	578318
Mair Heiztechnik	M 12	578310
Gomafix Cu/E <sup>1)</sup>	M 15	578312
	M 18	578314
	M 22	578316
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
Mair Heiztechnik	H 11,5	578394
Gomafix M	H 14	578398
	H 16	578400
	H 20	578406

System	Pressing contour	Art.-No.
Mair Heiztechnik	H 11,5	578394
M-Press	H 14	578398
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
Ma.s.ter System	TH 14	578348
PRESSMASTER	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
METALGRUP	RFz 16	578492
PexGrup	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
METALGRUP	U 16	578374
MultiGrup	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
Mueller Industries	VUS ½" (OD 15,9mm)	578566
Streamline PRS	VUS ¾" (OD 22,2mm)	578568
	VUS 1" (OD 28,6mm)	578570
	VUS 1½" (OD 34,9mm)	578606
MULTITHERM	TH 16	578352
PRESSSYSTEM	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Multicapas	RFz 16	578492
Industrial	RFz 20	578494
AIS PEX	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
Multicapas	MT 20	578560
Industrial	MT 25	578562
multitubo systems	MT 32	578564
MC	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Multicapas	H 16	578400
Industrial	H 20	578406
multitubo systems	H 25	578408
	H 26	578410
	H 32	578412
	MT 20	578560
	MT 25	578562
	MT 32	578564
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382

<b>N</b>		
NEUTHERM	H 16	578400
MEKUPRESS-HT	H 20	578406
	H 26	578410
	H 32	578412
NIBCO (USA)	VUS ½" (OD 15,9mm)	578566
Press System	VUS ¾" (OD 22,2mm)	578568
Copper	VUS 1" (OD 28,6mm)	578570
	VUS 1½" (OD 34,9mm)	578606
Nicoll Fluxo	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
NUPI Industrie	U 14	578372
Italiane	U 16	578374
Multinipi	U 18	578376
	U 20	578378
	C 26	578392
	U 32	578382
	U 40	578386

System	Pressing contour	Art.-No.
NUPI Industrie	B 16	578468
Italiane	B 18	578470
MultiPinza	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 18	578458
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	C 26	578392
	U 32	578382
Nussbaum	VRX 16	578640
Optiflex-Flowpress	VRX 20	578642
	VRX 25	578644
	VRX 32	578646
Nussbaum	VP 16	578482
Optiflex Press	VP 20	578484
	VP 25	578486
	VP 32	578488
Nussbaum	V 15	578328
Optipress	V 18	578332
Aquaplus	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
Nussbaum	V 15	578328
Optipress Gaz	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
Nussbaum	V 15	578328
Optipress-Therm	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R

<b>O</b>		
O.M.T. - Press	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Oventrop	H 16 A	578420
Cofit P	H 20 A	578426
	H 26 A	578430
	H 32 A	578432
Oventrop	H 16 A	578420
Cofit PD	H 20 A	578426
	H 26 A	578430
Oventrop	H 16 A	578420
Cofit PDK	H 20 A	578426
Oventrop	H 16 A	578420
Cofit PD-HT	H 20 A	578426
	H 25 A	578428
	H 32 A	578432
Oventrop	H 16 A	578420
Cofit PDK-HT	H 20 A	578426

<b>P</b>		
PBTub	RFz 12	578490
SERTIPRESS	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
PBTub	M 15	578312
SERTI-STEEL <sup>1)</sup>	M 18	578314
	M 22	578316
	M 28	578318
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
Pegler Yorkshire	M 12	578310
XPress Carbon	M 15	578312
	M 18 <sup>1)</sup>	578314
	M 22	578316
	M 28 <sup>1)</sup>	578318
	M 35	578390
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R

System	Pressing contour	Art.-No.	
Pegler Yorkshire XPress Copper	M 12	578310	
	M 15	578312	
	M 18 <sup>1)</sup>	578314	
	M 22	578316	
	M 28 <sup>1)</sup>	578318	
	M 35	578390	
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R	
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R	
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R	
Pegler Yorkshire XPress Gas	M 28 45° (PR-2B) <sup>3)</sup>	574528 R	
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R	
	M 15	578312	
	M 18 <sup>1)</sup>	578314	
	M 22	578316	
	M 28 <sup>1)</sup>	578318	
	M 35	578390	
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R	
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R	
PERFEXIM "PERFEKT SYSTEM"	M 28 45° (PR-2B) <sup>3)</sup>	574528 R	
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	PERFILTUBO PERFILALUPEX	U 16	578374
	U 18	578376	
	U 20	578378	
	U 25	578380	
PERFILTUBO PERFILPRESS	U 32	578382	
	U 40	578386	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R	
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R	
PEXTUBE Pex Tube	M 28 45° (PR-2B) <sup>3)</sup>	574528 R	
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
	Pipelife C-PRESS	M 15	578312
		M 18	578314
		M 22	578316
		M 28	578318
M 35		578390	
M 15 45° (PR-2B) <sup>3)</sup>		574522 R	
M 18 45° (PR-2B) <sup>3)</sup>		574524 R	
M 22 45° (PR-2B) <sup>3)</sup>		574526 R	
M 28 45° (PR-2B) <sup>3)</sup>		574528 R	
M 35 45° (PR-2B) <sup>3)</sup>		574530 R	
Pipelife RADOPRESS	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
Pipetec Connect	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
PLASTICA ALFA Multypex	TH 40	578624	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
PLASTICA ALFA Multypex Air	TH 32	578364	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
PLASTICA ALFA Multypexalfa Gas	TH 32	578364	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
PLASTICA ALFA Multypexalfa Gas protek	TH 32	578364	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
PLASTICA ALFA Multypex Plus	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
PLASTICA ALFA Multypex Thermo	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
PLASTICA ALFA Multypex Thermo Plus	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	

System	Pressing contour	Art.-No.		
PLASTICOS FERRO FERROPLAST GPF MC PRESS Pressfitting MULTICAPA	U 16	578374		
	U 20	578378		
	U 25	578380		
	U 32	578382		
	PLÁSTICOS FERRO FERROPLAST GPF PPSU Pressfitting PE-X y MULTICAPA	U 16	578374	
		U 20	578378	
		U 25	578380	
		U 32	578382	
		RFz 16	578492	
		RFz 20	578494	
RFz 25		578496		
RFz 32		578498		
PLUMBING PLUS EziPex Crimp (AUS)		K16/P18	578592	
		K/20	578594	
	K/25	578596		
	K/32	578598		
	K/40	578600		
	PLUMBING PLUS EziPex Gas (AUS)	K16/P18	578592	
		K/20	578594	
		K/25	578596	
		K/32	578598	
		K/40	578600	
PLUMBING PLUS EziPress Gas (AUS)		VAU 15 (OD 12,7mm)	578630	
		VAU 20 (OD 19,1mm)	578632	
		VAU 25 (OD 25,4mm)	578634	
		VAU 32 (OD 31,8mm)	578636	
		PLUMBING PLUS EziPress Solar (AUS)	VAU 15 (OD 12,7mm)	578630
	VAU 20 (OD 19,1mm)		578632	
	VAU 25 (OD 25,4mm)		578634	
	PLUMBING PLUS EziPress Water (AUS)		VAU 15 (OD 12,7mm)	578630
			VAU 20 (OD 19,1mm)	578632
			VAU 25 (OD 25,4mm)	578634
VAU 32 (OD 31,8mm)			578636	
POLYPIPE			TH 10	578342
			TH 15	578350
			TH 22	578588
		TH 28	578590	
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)		M 15	578312	
		M 18	578314	
	M 22	578316		
	M 28	578318		
	M 35	578390		
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R		
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R		
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R		
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R		
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R		
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	V 15	578328		
	V 18	578332		
	V 22	578334		
	V 28	578336		
	V 35	578604		
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R		
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R		
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R		
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R		
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R		
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 15	578312		
	M 18	578314		
	M 22	578316		
	M 28	578318		
	M 35	578390		
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R		
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R		
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R		
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R		
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R		
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	POLYSAN- Edelstahl Press-System Gas	M 15	578312	
	M 18	578314		
	M 22	578316		
	M 28	578318		
	M 35	578390		
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R		
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R		
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R		
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R		
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R		
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	POLYSAN- Edelstahl Press-System Wasser	M 15	578312	
	M 18	578314		
	M 22	578316		
	M 28	578318		
	M 35	578390		
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R		
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R		
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R		
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R		
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R		
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	TH 14	578348		
	TH 16	578352		
	TH 17	578354		
	TH 18	578356		
	TH 20	578358		
	TH 26	578362		
	TH 32	578364		
	TH 40	578624		
	POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	POLYSAN- Press-System	TH 14	578348
		TH 16	578352	
TH 17		578354		
TH 18		578356		
TH 20		578358		
TH 26		578362		
TH 32		578364		
TH 40		578624		
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)		POLYSAN- Henco- Press-System	TH 14	578348
		TH 16	578352	
	TH 17	578354		
	TH 18	578356		
	TH 20	578358		
	TH 26	578362		
	TH 32	578364		
	TH 40	578624		
	Prandelli Mulyrama Pf	U 16	578374	
		U 18	578376	
U 20		578378		
U 25		578380		
U 32		578382		
U 40		578386		
H 14		578398		
H 16		578400		
H 18		578404		
H 20		578406		
H 26	578410			
H 32	578412			

System	Pressing contour	Art.-No.		
Prandelli Mulyrama Pfm	H 16	578400		
	H 18	578404		
	H 20	578406		
	H 26	578410		
	H 32	578412		
	TH 16	578352		
	TH 18	578356		
	TH 20	578358		
	TH 26	578362		
	TH 32	578364		
R	U 16	578374		
	U 18	578376		
	U 20	578378		
	Raccorderie Metalliche aesPRES <sup>1)</sup>	M 15	578312	
		M 18	578314	
		M 22	578316	
		M 28	578318	
		Raccorderie Metalliche inoxPRES <sup>1)</sup>	M 15	578312
			M 18	578314
			M 22	578316
M 28			578318	
Raccorderie Metalliche steelPRES <sup>1)</sup>			M 15	578312
			M 18	578314
	M 22		578316	
	M 28		578318	
	RBM Tita-gas		TH 16	578352
			TH 20	578358
		TH 26	578362	
		TH 32	578364	
		RBM Tita-fix	B 14	578466
			B 16	578468
B 18			578470	
B 20			578472	
B 26			578474	
F 16			578456	
F 18	578458			
F 20	578460			
F 16 45° (PR-2B) <sup>3)</sup>	574550 R			
F 20 45° (PR-2B) <sup>3)</sup>	574552 R			
Redi Nicoll Fluxo	H 14	578398		
	H 16	578400		
	H 18	578404		
	H 20	578406		
	H 26	578410		
	H 32	578412		
	TH 14	578348		
	TH 16	578352		
	TH 18	578356		
	TH 20	578358		
Redi Nicoll Fluxo Gas	TH 26	578362		
	TH 32	578364		
	TH 40	578624		
	TH 16	578352		
	TH 20	578358		
	TH 26	578362		
	TH 32	578364		
	TH 40	578624		
	RIFENG LD PRESS FITTING (F8)	LD 16	578652	
		LD 20	578654	
LD 25		578656		
U 14		578372		
U 16		578374		
U 18		578376		
U 20		578378		
U 25		578380		
U 32		578382		
U 40		578386		
RIFENG TH PRESS FITTING (F9)	TH 16	578352		
	TH 20	578358		
	TH 25	578360		
	TH 26	578362		
	TH 32	578364		
	TH 40	578624		
	RIQUIER A SERTIR	RFz 12	578490	
		RFz 16	578492	
		RFz 20	578494	
		RFz 25	578496	
Roth PressCheck		RN 14	578434	
		RN 16	578454	
		RN 17	578436	
		RN 20	578438	
		RN 25/26	578440	
		RN 32	578442	
	Roth España - Global Plastic Rothapress	TH 16	578352	
		TH 18	578356	
		TH 20	578358	
		TH 25	578360	
TH 32		578364		
TH 40		578624		
Rubinetteria Bresciane Bonomi TURBO PRESS		TH 14	578348	
		TH 16	578352	
		TH 18	578356	
		TH 20	578358	
	TH 26	578362		
	TH 32	578364		
	TH 40	578624		

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For accommodating suitable pressing inserts.
- 3) Adaptor tongs, see page 61, are necessary for driving the pressing rings (PR).
- 4) Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 201), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw. Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 16.5.2018. The current status can be found on the Internet: [www.albert-roller.de](http://www.albert-roller.de) → Downloads → Product Catalogues, Brochures → ROLLER Catalogue. Pressing tongs/pressing rings for other press fitting systems on request.

# ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S Multi-Press Mini ACC, Multi-Press Mini 22V ACC and Multi-Press Mini S 22V ACC:

System	Pressing contour	Art.-No.
Rubinetteria	TH 16	578352
Bresciane	TH 20	578358
Bonomi	TH 26	578362
TURBO PRESS GAS	TH 32	578364
<b>S</b>		
SA.MI plastic	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
SA.MI plastic Multistrato Gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
SANHA 3fit-Press Pb-free Serie 25000	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	Fz 40	578478
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
	U 40	578386
SANHA 3fit-Press PPSU Serie 35000	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
SANHA-NiroSan Gas Presssystem Serie 17000	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15 <sup>1)</sup>	578312
	M 18 <sup>1)</sup>	578314
	M 22 <sup>1)</sup>	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
	V 15 <sup>1)</sup>	578328
	V 18 <sup>1)</sup>	578332
	V 22 <sup>1)</sup>	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
SANHA-NiroSan Industry Presssystem Serie 18000	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15 <sup>1)</sup>	578312
	M 18 <sup>1)</sup>	578314
	M 22 <sup>1)</sup>	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
	V 15 <sup>1)</sup>	578328
	V 18 <sup>1)</sup>	578332
	V 22 <sup>1)</sup>	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R

System	Pressing contour	Art.-No.
SANHA-NiroSan-Presssystem Serie 9000	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15 <sup>1)</sup>	578312
	M 18 <sup>1)</sup>	578314
	M 22 <sup>1)</sup>	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
	V 15 <sup>1)</sup>	578328
	V 18 <sup>1)</sup>	578332
	V 22 <sup>1)</sup>	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
SANHA-NiroSan SF Presssystem Serie 19000 (silicone free)	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15 <sup>1)</sup>	578312
	M 18 <sup>1)</sup>	578314
	M 22 <sup>1)</sup>	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
	V 15 <sup>1)</sup>	578328
	V 18 <sup>1)</sup>	578332
	V 22 <sup>1)</sup>	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
SANHA NiroTherm Serie 91000	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15 <sup>1)</sup>	578312
	M 18 <sup>1)</sup>	578314
	M 22 <sup>1)</sup>	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
	V 15 <sup>1)</sup>	578328
	V 18 <sup>1)</sup>	578332
	V 22 <sup>1)</sup>	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
SANHA-NiroSan Industry Presssystem Serie 16000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 <sup>1)</sup>	578312
	M 18 <sup>1)</sup>	578314
	M 22 <sup>1)</sup>	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
	V 12	578324
	V 15 <sup>1)</sup>	578328
	V 18 <sup>1)</sup>	578332
	V 22 <sup>1)</sup>	578334
	V 28	578336
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R

System	Pressing contour	Art.-No.
SANHA-Press GAS Pressfittings Serie 10000/ Serie 11000	SA 12	578510
	SA 14	578512
	SA 15	578514
	SA 16	578516
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 <sup>1)</sup>	578312
	M 18 <sup>1)</sup>	578314
	M 22 <sup>1)</sup>	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
	V 12	578324
	V 14	578326
	VG 16	578340
	V 15 <sup>1)</sup>	578328
	V 16	578330
	VG 16	578330
	V 18 <sup>1)</sup>	578332
	V 22 <sup>1)</sup>	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	VG 14 45° (PR-2B) <sup>3)</sup>	574536 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	VG 16 45° (PR-2B) <sup>3)</sup>	574538 R
	V 18 45° (PR-2B) <sup>3)</sup>	574526 R
	V 22 45° (PR-2B) <sup>3)</sup>	574528 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
SANHA-Press Pressfittings Serie 6000	SA 12	578510
	SA 14	578512
	SA 15	578514
	SA 16	578516
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 <sup>1)</sup>	578312
	M 18 <sup>1)</sup>	578314
	M 22 <sup>1)</sup>	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
	V 12	578324
	V 14	578326
	VG 14	578338
	V 15 <sup>1)</sup>	578328
	V 16	578330
	VG 16	578340
	V 18 <sup>1)</sup>	578332
	V 22 <sup>1)</sup>	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	VG 14 45° (PR-2B) <sup>3)</sup>	574536 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
	VG 16 45° (PR-2B) <sup>3)</sup>	574538 R
	V 18 45° (PR-2B) <sup>3)</sup>	574526 R
	V 22 45° (PR-2B) <sup>3)</sup>	574528 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
SANHA-Press SOLAR Pressfittings Serie 12000/ Serie 13000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 <sup>1)</sup>	578312
	M 18 <sup>1)</sup>	578314
	M 22 <sup>1)</sup>	578316
	M 28	578318</



# ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S Multi-Press Mini ACC, Multi-Press Mini 22V ACC and Multi-Press Mini S 22V ACC:

System	Pressing contour	Art.-No.
THERMOLUTZ	H 14	578398
	H 16	578400
	TH 20	578358
TE-SA TE-SA press serie 800	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
TIEMME AL-COBRAPEX Serie 1650	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	THL 32	578368
TIEMME Serie 1700 PE-X a pressare	RfZ 12	578490
	RfZ 16	578492
	RfZ 20	578494
	RfZ 25	578496
	RfZ 32	578498
TIEMME TIEMME Gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	THL 32	578368
TIGRE ALPEX GAS	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
TKM Systemtechnik	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
TRA MULTITRAPRESS	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
TRA TRAPRESS	H 12	578396
	H 16	578400
	H 20	578406
	H 25	578408
	H 32	578412
	RfZ 12	578490
	RfZ 16	578492
RfZ 20	578494	
TWEETOP	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
<b>U</b>		
UNICAL AG MAX-MULTIPEX	U 16	578374
	U 20	578378
	H 26	578410
	C 26	578392
	U 32	578382
UNIDELTA DeltAll	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
UNIDELTA DeltAll GAS	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
Uponor MLC	UP 14	578576
	UP 16	578578
	UP 18	578580
	UP 20	578582
	UP 25	578584
	UP 32	578586
	U 40	578386
Uponor MLC-D	UP 16	578578
	UP 20	578582
	UP 25	578584
	UP 32	578586
	U 40	578386
Uponor MLC-G	UP 20	578582
	UP 25	578584
	UP 32	578586
Uponor Uni Pipe PLUS	UP 16	578578
	UP 20	578582
	UP 25	578584

System	Pressing contour	Art.-No.	
<b>V</b>			
Valisir Bravopress	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R	
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R	
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	H 32 V	578602	
	TH 16	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	Valisir PEXAL	H 14	578398
H 16		578400	
H 20		578406	
H 26		578410	
H 32		578412	
H 32 V		578602	
TH 16		578358	
TH 20		578362	
TH 26		578364	
U 16		578374	
U 20		578378	
C 26		578392	
U 32		578382	
Van Marcke Log. Tubipex	TH 16	578352	
	TH 17	578354	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
Van Marcke Log. Tubipress	M 12	578310	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578320	
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R	
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R	
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R	
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R	
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R	
	TH 11,6	578344	
	TH 16	578352	
TH 20	578358		
Variotherm System TH	VX 12	578550	
	VP 14/15	578480	
	VP 16/17	578482	
	VP 20	578484	
Viega Pexfit	VX 16	578552	
	VX 20	578554	
	VX 25	578556	
Viega Pexfit Fosta G	VX 16	578552	
	VX 20	578554	
	VX 25	578556	
Viega Prestabo	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R	
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R	
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R	
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R	
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R	
	Viega Profipress	V 12	578324
		VG 14	578338
		V 15	578328
		VG 16	578340
V 18		578332	
V 22		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) <sup>3)</sup>		574502 R	
VG 14 45° (PR-2B) <sup>3)</sup>		574536 R	
V 15 45° (PR-2B) <sup>3)</sup>		574504 R	
VG 16 45° (PR-2B) <sup>3)</sup>		574538 R	
V 18 45° (PR-2B) <sup>3)</sup>		574506 R	
V 22 45° (PR-2B) <sup>3)</sup>		574508 R	
V 28 45° (PR-2B) <sup>3)</sup>	574510 R		
V 35 45° (PR-2B) <sup>3)</sup>	574512 R		
Viega Profipress G	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R	
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R	
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R	
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R	
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R	
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R	
	Viega Profipress S	V 12	578324
		V 15	578328
V 18		578332	
V 22		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) <sup>3)</sup>		574502 R	
V 15 45° (PR-2B) <sup>3)</sup>		574504 R	
V 18 45° (PR-2B) <sup>3)</sup>		574506 R	
V 22 45° (PR-2B) <sup>3)</sup>		574508 R	
V 28 45° (PR-2B) <sup>3)</sup>		574510 R	
V 35 45° (PR-2B) <sup>3)</sup>		574512 R	
Viega Profipress Therm		V 12	578324
		V 15	578328
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R	
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R	
	V 18 45° (PR-2B) <sup>3)</sup>	574506 R	
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R	
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R	
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R	

System	Pressing contour	Art.-No.
Viega ProPress System USA	VUS ½" (OD 15,9 mm)	578566
	VUS ¾" (OD 22,2 mm)	578568
	VUS 1" (OD 28,6 mm)	578570
	VUS 1¼" (OD 34,9 mm)	578606
Viega Propress WATER System AUS	VAU 15 (OD 12,7 mm)	578630
	VAU 20 (OD 19,1 mm)	578632
	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
Viega PropressG GAS System AUS	VAU 15 (OD 12,7 mm)	578630
	VAU 20 (OD 19,1 mm)	578632
	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
Viega Raxinox	VRX 16	578640
	VRX 20	578642
Viega Raxofix	VRX 16	578640
	VRX 20	578642
	VRX 25	578644
	VRX 32	578646
Viega Sanfix	VP 16/17	578482
	VP 20	578484
Viega Sanpress	VP 25	578486
	VP 32	578488
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) <sup>3)</sup>	574502 R
	V 15 45° (PR-2B) <sup>3)</sup>	574504 R
Viega Sanpress Inox	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574502 R
Viega Sanpress Inox G	V 18 45° (PR-2B) <sup>3)</sup>	574506 R
	V 22 45° (PR-2B) <sup>3)</sup>	574508 R
	V 28 45° (PR-2B) <sup>3)</sup>	574510 R
	V 35 45° (PR-2B) <sup>3)</sup>	574512 R
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) <sup>3)</sup>	574502 R
Viessmann	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
VINSAR PEX-AL-PEX	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
VSH MultiPress	U 14	578372
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
	TH 14	578348
VSH SudoPress Carbon	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
VSH SudoPress Copper	V 35	578604
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
VSH SudoPress Copper Gas	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12	578324
VSH XPress Carbon	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	M 12	578310
	M 15	578312
	M 18 <sup>9)</sup>	578314
	M 22	578316
	M 28 <sup>9)</sup>	578318
M 35	578320	
VSH XPress Carbon	M 12 45° (PR-2B) <sup>3)</sup>	574502 R
	M 15 45° (PR-2B) <sup>3)</sup>	574504 R
	M 18 45° (PR-2B) <sup>3)</sup>	574506 R
	M 22 45° (PR-2B) <sup>3)</sup>	574508 R
	M 28 45° (PR-2B) <sup>3)</sup>	574510 R
	M 35 45° (PR-2B) <sup>3)</sup>	574512 R

System	Pressing contour	Art.-No.	
VSH XPress Copper	M 12	578310	
	M 15	578312	
	M 18 <sup>1)</sup>	578314	
	M 22	578316	
	M 28 <sup>1)</sup>	578318	
	M 35	578390	
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R	
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R	
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R	
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R	
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R	
	VSH XPress Stainless	M 15	578312
M 18 <sup>1)</sup>		578314	
M 22		578316	
M 28 <sup>1)</sup>		578318	
M 35		578390	
M 15 45° (PR-2B) <sup>3)</sup>		574522 R	
M 18 45° (PR-2B) <sup>3)</sup>		574524 R	
M 22 45° (PR-2B) <sup>3)</sup>		574526 R	
M 28 45° (PR-2B) <sup>3)</sup>		574528 R	
M 35 45° (PR-2B) <sup>3)</sup>		574530 R	
<b>W</b>			
Walter Meier Metalplast		U 16	578374
		U 18	578376
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
Watts MTR Art press	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
WATTS RADIANT	US ¾"	578534	
	US ½"	578536	
	US ¾"	578538	
	US 1"	578540	
Watts RadiantPEX	US ¾"	578534	
	US ½"	578536	
	US ¾"	578538	
	US 1"	578540	
WATTS RADIANT	U 16 (¾")	578374	
	U 20 (¾")	578378	
	U 25 (¾")	578380	
	U 32 (1")	578382	
Watts RadiantPEX-AL	U 14	578372	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
Wavin Tigris K1	U 14	578372	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
Wavin Tigris M1	U 14	578372	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
WeeConPress Alu	M 12	578310	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R	
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R	
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R	
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R	
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R	
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R	
	V 12	578324	
V 15	578328		
V 18	578332		
V 22	578334		
V 28	578336		
V 35	578604		
V 12 45° (PR-2B) <sup>3)</sup>	574502 R		
V 15 45° (PR-2B) <sup>3)</sup>	574504 R		
V 18 45° (PR-2B) <sup>3)</sup>	574506 R		
V 22 45° (PR-2B) <sup>3)</sup>	574508 R		
V 28 45° (PR-2B) <sup>3)</sup>	574510 R		
V 35 45° (PR-2B) <sup>3)</sup>	574512 R		
SA 12	578510		
SA 15	578514		
SA 18	578518		
SA 22	578520		
SA 28	578522		

System	Pressing contour	Art.-No.
WeeConPress C-Stahl	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
	WeeConPress Inox	M 12
M 15		578312
M 18		578314
M 22		578316
M 28		578318
M 35		578390
M 12 45° (PR-2B) <sup>3)</sup>		574520 R
M 15 45° (PR-2B) <sup>3)</sup>		574522 R
M 18 45° (PR-2B) <sup>3)</sup>		574524 R
M 22 45° (PR-2B) <sup>3)</sup>		574526 R
M 28 45° (PR-2B) <sup>3)</sup>		574528 R
M 35 45° (PR-2B) <sup>3)</sup>		574530 R
WeeConPress Kupfer		M 12
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) <sup>3)</sup>	574520 R
	M 15 45° (PR-2B) <sup>3)</sup>	574522 R
	M 18 45° (PR-2B) <sup>3)</sup>	574524 R
	M 22 45° (PR-2B) <sup>3)</sup>	574526 R
	M 28 45° (PR-2B) <sup>3)</sup>	574528 R
	M 35 45° (PR-2B) <sup>3)</sup>	574530 R
	WeeConFlex MVR	H 16
H 20		578406
H 26		578410
H 32		578412
U 40		578414
TH 16		578352
TH 20		578358
TH 26		578362
TH 32		578364
TH 40		578624
U 16		578374
TH 14		578348
TH 16		578352
TH 18	578356	
TH 20	578358	
TH 26	578362	
TH 32	578364	
TH 40	578624	
WEM WIELAND cuprotherm CTX	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
WKS-Press	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 26	578362
	TH 32	578364
WÜRTH Würth	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	HE 32	578370
<b>X</b>		
XtraConnect	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) <sup>3)</sup>	574550 R
	F 20 45° (PR-2B) <sup>3)</sup>	574552 R
	F 26 45° (PR-2B) <sup>3)</sup>	574554 R
	F 32 45° (PR-2B) <sup>3)</sup>	574556 R
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
TH 20	578358	
TH 26	578362	
TH 32	578364	
U 16	578374	
U 20	578378	
U 25	578380	
U 32	578382	
VP 16	578462	
VP 20	578464	
VP 32	578468	

System	Pressing contour	Art.-No.
<b>Z</b>		
Zetaesse Multistrato EUROPEX	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
Zetaesse Multistrato ISOPEX	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
Zetaesse Rame HydroSAN	TH 14	578348
	TH 16	578352
	TH 20	578358
	U 14	578372
	U 16	578374
	U 20	578378
Zetaesse Rame ThermoSAN	TH 14	578348
	TH 16	578352
	TH 20	578358
	U 14	578372
ZEWOTHERM	TH 12	578346
	TH 16	578352
	TH 17	578354
	TH 18	578356
Zewo Press	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	TH 16	578352
	TH 20	578358
ZURN INDUSTRIES ZURN PEX	US ¾"	578534
	US ½"	578536
	US 1"	578538

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For accommodating suitable pressing inserts.
- 3) Adaptor tongs, see page 61, are necessary for driving the pressing rings (PR).
- 4) Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 201), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 16.5.2018. The current status can be found on the Internet: [www.albert-roller.de](http://www.albert-roller.de) → Downloads → Product Catalogues, Brochures → ROLLER Catalogue. Pressing tongs/pressing rings for other press fitting systems on request.



Accessories

Art.-No.

**Adaptor tongs Mini Z1**  
for driving the ROLLER'S pressing rings 45° (PR-2B) 578558 RX

**Steel case for adaptor tongs Mini Z1 and adaptor tongs Z1 as well as 6 ROLLER'S pressing rings M 12–35 45° (PR-2B) or V 12–35 45° (PR-2B)** 574516 A

**Steel case for 8 pressing tongs Mini / cropping tongs Mini and shelf for pipe cutter up to Ø 42 mm** 578295 A